Notice of Allowability	Application No.	Applicant(s)
	09/974,969	BOERSTLER ET AL.
	Examin r	Art Unit
	Arnold M Kinkead	2817
The MAILING DATE f this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	plication. If not included  i will be mailed in due course. THIS
1. $\square$ This communication is responsive to <u>03-08-04</u> .		
2. ⊠ The allowed claim(s) is/are <u>1-24</u> .		
3. $igotimes$ The drawings filed on <u>10-11-01</u> are accepted by the Exami	ner.	
<ul> <li>4. Acknowledgment is made of a claim for foreign priority una)</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>	been received.  been received in Application No cuments have been received in this  of this communication to file a reply	national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF ation is deficient.
<ul> <li>6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus         <ul> <li>(a) ☐ including changes required by the Notice of Draftspers</li> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li> </ul> </li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the such sheet. Replacement sheet(s) should be labeled as such in the deposit of the d</li></ul>	on's Patent Drawing Review (PTO- s Amendment / Comment or in the 0 .84(c)) should be written on the drawing the header according to 37 CFR 1.121(sit of BIOLOGICAL MATERIAL)	Office action of  ngs in the front (not the back) f (d).  must be submitted. Note the
Attachm nt(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Da 8), 7. ⊠ Examiner's Amend	te

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard F. Frankeny on 05-26-04.

The following has been updated:

In the specification p.1, line line 6, "Serial No." is now - Serial No. 09/974,990, now US patent 6,501304—

On line 8, "Serial No." is now - Serial No. 09/974,987, now US patent 6,483,888—

On line 10, "Serial No." is now - Serial No. 09/975,187, now US patent 6,529,082-

On line 12, "Serial No." is now - Serial No. 09/974,985, now US patent 6,515,530-

On line 15, "Serial No." is now - Serial No. 09/974,986, now US patent 6,529,084-

On line 17, "Serial No. 09/726,285" is now, -- Serial No. 09/726,285,US patent 6,353,369--

On line 20, "Serial No. 09/726,282" is now, -- Serial No. 09/726,282,US patent 6,559,727—

In the claims:

Claim 2, lines 8 and 11, claim 10, line 8 and 11, and claim 18, 8 and 11, "selectable inverter" is now—selectable inverter gate--.

For claims 5,6,13,14,21, and 22, lines 3 and 4, " electronic" has been deleted.

Art Unit: 2817

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arnold M Kinkead whose telephone number is 571-272-1763. The examiner can normally be reached on Mon-Fri, 8:30 am -5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on 571-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Arnold M Kinkead Primary Examiner Art Unit 2817

Arnold Kinkead May 26, 2004